

# JAC N56 3-TONNE CHASSIS CAB TRUCK

**SPECIFICATIONS** 

JACMOTORS.CO.ZA

### **N56 3-TONNE TRUCK**

	DESCRIPTION	N56 3-TONNE CHASSIS CAI
	GVM	5 600
	GCM	6 350
Mass Data (kg)	Tare Mass	2 100
	Tare Front	1 364
	Tare Rear	736
	GAWR Front	2 000
	GAWR Rear	4 000
	Approximate Body & Payload	3 350
	Approximate Body & Fayload	3 330
	Overall Length - OAL	5 960
	Wheelbase - WB	3 360
	Overall Width - OW	1 860
	Cab Width (Excluding Mirrors) - CW	1 725
	Overall Height - OH	2 215
	Bumper To Back Of Cab - BBC	1 565
Dimensional	Cab to Axle - CA	2 820
Data (mm)	Cab To End Of Frame - CE	4 310
	Front Overhang - FOH	
		1 110
	Rear Overhang - ROH	1 490
	Ground Clearance (Rear Axle)	220
	Frame Width	700
	Rear Track - RT	1 425
	Make	JAC
	Model	HFCC4DA1-2B1
	Configuration	Inline 4 Cylinder
	Capacity (cc)	· · ·
	<u> </u>	2 771 Euro II
	Emission Level	
Engine	Туре	4 Stroke Diesel Turbocharged Intercooled
	Injector Type	Common Rail Pump
	Engine Oil Cooler	Yes
	Valve Configuration	OHV
	Power @ RPM (kW)	68 kW @ 3 600
	Torque @ RPM (Nm)	216 Nm @ 1 800 - 2 200
	Make	JAC
	Model	LC5T255N3
	Туре	Synchromesh (2 - 5 Only)
Transmission	Shift	Manual
	No. Of Forward Gears	5
	First Gear Ratio	5.529 : 1
	Reverse Gear Ratio	5.271 : 1
Safety	Reverse Alarm	Yes
	Seat Belt Warning	Yes
	Height Adjustable Seat Belt	Driver
	Height Adjustable Headlights	Yes
	Daytime Running Lights	Yes
	Antilock Braking System (ABS)	Yes
	Microdot Vehicle Identification	Yes

	DECORIDATION	NEC 2 TONNE CLIACOLO CAE
	DESCRIPTION	N56 3-TONNE CHASSIS CAE
Oli dalla	Type	Diaphragm Spring
Clutch	Diameter (mm)	250
	Operation	Vacuum Assistance
Suspension	Front & Rear	Multi-Leaf Spring With Shock Absorbers
	Steering Column	Tilt And Telescoping
Steering	Туре	Recirculating Ball
	Operation	Power Assisted
	Туре	Hydraulic Assisted
	Anti-Lock Braking System (ABS)	Yes
l <u>.</u> .	Front	Disc
Brakes	Rear	Drum
	Parking Brake	Rear Of Transmission
	Exhaust Brake	Yes
	Exhaust Brake	100
	Material	Plastic
Fuel Tank	Capacity (Litres)	100
ruei iank		
	Lockable Fuel Cap	Yes
		1 2
Vehicle	Maximum Gradeability (%)	24
Performance	Maximum Allowable Speed (km/h) (SA SL)	100
	System	12V
Electrical	Battery System	2 X 80A-H
Equipment	Alternator	12V 60 Amp
	Starter	12V 2.8kW
	Wheel Type	Single Piece Steel
	Wheel Attachment	5 Stud
Wheels &	No. Of Wheels Including Spare	7
Tyres	Spare Wheel Carrier Location	Rear Of Frame
1	Tyre Size	205/75R17.5 14PLY
	1310 0126	200/13/117.5 141°L1
	Air Conditioning	Van
		Yes
	Heater	Yes
	Power Windows	Yes
Comfort	Central Locking	Yes
Configuration	Number Of Seats	3
	12V Accessory Power Outlet	Yes
	Radio	AM/FM With AUX And USB
	Cup Holders	Yes



### **JAC WARRANTY & SERVICE PLAN**

- 5-year/150,000 km Warranty comprising two main elements:
  - A comprehensive 5-year/100,000 km Warranty covering essential mechanical components.
  - An additional 50,000 km Warranty covering drivetrain components.
- 5-year/100,000 km Service Plan.

Service intervals: • 5,000 km / 6 Months • 15,000 km / 12 Months \* Thereafter, every 10,000 km / 12 Months



5-year/150,000 km 24-hour Roadside Assistance

\*Terms & Conditions apply.



## JAC N56 3-TONNE DROPSIDE TRUCK

**SPECIFICATIONS** 

JACMOTORS.CO.ZA

## **N56 3-TONNE TRUCK**

	DESCRIPTION	N56 3-TONNE DROPSIDE
	GVM	5 600
Mass Data (kg)	GCM	6 350
	Tare Mass	2 560
	Tare Front	1 460
	Tare Rear	1 100
	GAWR Front	2 000
	GAWR Rear	4 000
	Approximate Body & Payload	3 040
	Overall Length - OAL	5 995
	Wheelbase - WB	3 360
	Overall Width - OW	1 900
	Cab Width (Excluding Mirrors) - CW	1 725
	Overall Height - OH	2 330
	Bumper To Back Of Cab - BBC	1 565
	Cab to Axle - CA	2 820
Dimensions	Cab To End Of Frame - CE	4 310
Dimensional Data (mm)	Front Overhang - FOH	1 110
()		
	Rear Overhang - ROH	1 525
	Ground Clearance (Rear Axle)	220
	Frame Width	700
	Rear Track - RT	1 425
	Dropside Body Inner Length	4 230
	Dropside Body Inner Width	1 810
	Dropside Side Height	400
	Make	JAC
	Model	HFCC4DA1-2B1
	Configuration	Inline 4 Cylinder
	Capacity (cc)	2 771
	Emission Level	Euro II
Engine	Туре	4 Stroke Diesel Turbocharged Intercooled
	Injector Type	Common Rail Pump
	Engine Oil Cooler	Yes
	Valve Configuration	OHV
	Power @ RPM (kW)	68 kW @ 3 600
	Torque @ RPM (Nm)	216 Nm @ 1 800 - 2 200
	Torque & HEIVI (MIII)	210 Niii @ 1 000 - 2 200
	Make	JAC
	Model	LC5T255N3
	Туре	Synchromesh (2 - 5 Only)
Transmission	Shift	Manual
Transmission	No. Of Forward Gears	Manual 5
	First Gear Ratio	
		5.529 : 1
	Reverse Gear Ratio	5.271 : 1
	Reverse Alarm	Yes
	Seat Belt Warning	
Safety		Yes
	Height Adjustable Seat Belt	Driver
	Height Adjustable Headlights	Yes
	Daytime Running Lights	Yes
	Antilock Braking System (ABS)	Yes
	Microdot Vehicle Identification	Yes

	DESCRIPTION	N56 3-TONNE DROPSIE
Clutch	Туре	Diaphragm Spring
	Diameter (mm)	250
	Operation	Vacuum Assistance
Suspension	Front & Rear	Multi-Leaf Spring With Shock Absorbers
Steering	Steering Column	Tilt And Telescoping
	Туре	Recirculating Ball
	Operation	Power Assisted
	·	
	Туре	Hydraulic Assisted
	Anti-Lock Braking System (ABS)	Yes
Duelsee	Front	Disc
Brakes	Rear	Drum
	Parking Brake	Rear Of Transmission
	Exhaust Brake	Yes
	Material	Plastic
Fuel Tank	Capacity (Litres)	100
	Lockable Fuel Cap	Yes
	·	
	Maximum Gradeability (%)	24
Vehicle Performance	Maximum Allowable Speed (km/h) (SA SL)	100
	System	12V
Electrical	Battery System	2 X 80A-H
Equipment	Alternator	12V 60 Amp
	Starter	12V 2.8kW
	Wheel Type	Single Piece Steel
	Wheel Attachment	5 Stud
Wheels & Tyres	No. Of Wheels Including Spare	7
Tyles	Spare Wheel Carrier Location	Rear Of Frame
	Tyre Size	205/75R17.5 14PLY
	1.5	1
	Air Conditioning	Yes
	Heater	Yes
	Power Windows	Yes
	Central Locking	Yes
Comfort	Number Of Seats	3
Configuration	12V Accessory Power Outlet	Yes
	Radio	AM/FM With AUX And US
	Cup Holders	Yes
	Lockable Toolbox At Rear Of Frame	Yes
		163



### **JAC WARRANTY & SERVICE PLAN**

- 5-year/150,000 km Warranty comprising two main elements:
  - A comprehensive 5-year/100,000 km Warranty covering essential mechanical components.
  - An additional 50,000 km Warranty covering drivetrain components.
- 5-year/100,000 km Service Plan.

Service intervals: • 5,000 km / 6 Months • 15,000 km / 12 Months \* Thereafter, every 10,000 km / 12 Months



5-year/150,000 km 24-hour Roadside Assistance

\*Terms & Conditions apply.